



No Spill

Standard Design

**PRECISION FIT**  
Made in over 500 sizes and thread patterns

**STAINLESS STEEL SPRING**  
Compatible with all fluids



**SINGLE BRIDGE**  
For faster flow and better removal of contaminants




**DUST CAP REMOVED**

**O-RING SEALS**

**OIL PAN THREADS**  
Machined full length for maximum strength and security

**VITON O-RING**  
Compatible with all fluids

**DRAINER**  
Simple thread-on connection.  
One size fits all Standard fittings



**WORKS WITH GRAVITY OR SUCTION SYSTEMS**

Precision made Standard fittings are available in over 500 sizes and thread patterns.



No Spill

Compact Design

**PRECISION FIT**  
Made in over 500 sizes and thread patterns

**STAINLESS STEEL SPRING**  
Compatible with all fluids



**SINGLE BRIDGE**  
For faster flow and better removal of contaminants

**OIL PAN THREADS**  
Machined full length for maximum strength and security

**VITON O-RING**  
Compatible with all fluids



**DUST CAP REMOVED**


**O-RING SEALS**

**DRAINER**

Simple thread-on connection.  
One size fits all Compact fittings

**LOW PROFILE**

Perfect for limited clearance and off-highway



**WORKS WITH GRAVITY OR SUCTION SYSTEMS**

Precision made Compact fittings are available in over 500 sizes and thread patterns.



No Spill


Speed Click

**Springhouse** Inner core extends only to the thickest part of the hexagonal body for strongest construction

**Oil Pan Threads** Machined the full length for maximum strength & security



**Viton O-Ring** Compatible with all fluids



**Dust Cap Removed**


**O-Rings**

**Stainless Steel Spring** Compatible with all fluids

**Single Bridge** Enhances the full bore internal design for maximum flow rates & maximum removal of contaminants

**Precision Fit** SPEED CLICK FITTINGS are precision made in over 500 sizes and thread patterns

**Standard Clicker Connection** One clicker fits all Speed Click fittings



**WORKS WITH GRAVITY OR SUCTION SYSTEMS**