

Trailer Specifications

3 Axle Equipment Semi Trailer - Crane

Drawing Reference: Please Contact Us

Forward Length 6.52m

Deck Length 10.1m

Width 2.5m

GVM Rating 40 tonne

Tare Weight 5,100kg approx.

Axle Spacing 1.25m

King Pin 2" bolt in

Skid Plate Height 1260mm TBC

Chassis Fabricated I Beam construction from Grade 80 high tensile steel.

Special load restraint mechanism built in for Crane components

Coaming Rail Profiled flat bar with pressed edge c/w rope rail.

Load Restraints Rope rails on coaming rail. Tie down points for slings.

Decking 3mm plate with non-skid coating for safety

Suspension Heavy-duty BPW air suspension.

Mounting brackets Specially designed mounting plates are located on the trailer for

specific product to be loaded in the right location so that the trailer weighs out legally. Mounts are designed for safe easy load/unload

and securing of load.

Deck access Steps at rear bumper provide access to the deck.

Safety Handrail system fitted, non-skid surface to prevent slippage and

special mounting brackets for ease of load/unload

Axles 3 of 19.5 BPW Disc braked axles - 10 stud axles with grease filled

Hub.

Rims 12 of 19.5 - 10 stud polished alloy wheels.

Tyres 12 of 265 70R 19.5 tubeless radials.

Spare Tyre Mount No spare or mount supplied to meet tare weight

Braking To meet NZ brake regulations, EBS

Lighting LED lighting system to meet NZ requirements.

Yard Release Fitted on RHS.

Landing Legs Jost wind up legs

Paint Grit blasted, primed and painted in 2K paint system,

electrostatically applied for full coverage.

Please Note: Specifications shown above for New Zealand please contact us for specification for Australia, and other countries.

Trailer Options

TRT has a wide range of standard and customisable options available for each trailer. These options are designed fit for purpose.

Design and Engineering

TRT has a full range of design and build capability. If you require a transport solution or have a specific purpose for your new trailer, TRT are able to work with you from initial sketches or specifications to create fully engineered design solutions for your payloads now and in the future.

Manufacturing

TRT design, fabricate and manufacture in house. TRT are accredited ISO 9001:2015, quality is critical to ensure your trailer will meet and in most cases exceed your requirements to minimise payback period. When you choose a trailer from TRT, it's for the long haul.



NEW ZEALAND

PHONE: +64 7 849 4839 ADDRESS: 48 Maui St, Hamilton

EMAIL: trailers@trt.co.nz WEB: www.trt.co.nz

AUSTRALIA

PHONE: 1800 802 912

ADDRESS: 1028 Lytton Rd, Murarrie, QLD 4172 EMAIL: trailers@trtaust.com.au WEB: www.trtaust.com.au